


SELECTIVE INHIBITION OF AGGREGANASE IN OSTEOARTHRITIS TREATMENTAbstract


This invention relates to a method of treatment for osteoarthritis involving inhibitors of aggrecanase that demonstrate IC_{50} s of less than 20 nM and demonstrate differential potency against matrix metalloproteinases (MMPs) and a disintegrin and metalloproteinases (ADAMs or reprolysins). This invention also relates to compounds, methods of treatment and composition of Formula I:



I

or a therapeutically acceptable salt thereof, wherein

- 10 X is carbon or nitrogen;
 R^1 and R^2 are independently selected from the group consisting of hydrogen, hydroxy, and methyl, wherein at least one of R^1 and R^2 is methyl;
 R^3 and R^4 are independently selected from the group consisting of hydrogen, hydroxy, and methyl, or R^3 and R^4 may be taken together to form a carbonyl group; and
 15 R^5 and R^6 are independent substituents in the ortho, meta, or para positions and are independently selected from the group consisting of hydrogen, halogen, cyano, methyl, and ethyl;
 with the provisos:
 when X is carbon, then R^7 and R^8 are both hydrogen and at least one of R^1 , R^2 , R^3 ,
 20 and R^4 is hydroxy;
 when X is carbon and R^5 is para-halo, then at least one of R^6 , R^3 , and R^4 is not hydrogen;
 when X is nitrogen, then R^8 is not present and R^7 is hydrogen or a group of the formula:



wherein, Y is $-\text{CH}_2\text{-NH}_2$ or $-\text{NH-CH}_3$; and

when X is nitrogen and R^7 is H, then R^3 and R^4 are taken together to form a carbonyl group.

10
20
30
40
50
60
70
80
90
100
110
120
130
140
150
160
170
180
190
200
210
220
230
240
250
260
270
280
290
300
310
320
330
340
350
360
370
380
390
400
410
420
430
440
450
460
470
480
490
500
510
520
530
540
550
560
570
580
590
600
610
620
630
640
650
660
670
680
690
700
710
720
730
740
750
760
770
780
790
800
810
820
830
840
850
860
870
880
890
900
910
920
930
940
950
960
970
980
990